

# SUMMARY OF COMMENTS PREPARED BY TRAVEL FORECASTING PEER REVIEW PANELS

September 1994



Travel Model Improvement Program **Department of Transportation**Federal Highway Administration
Federal Transit Administration
Office of the Secretary

**Environmental Protection Agency** 

Department of Energy

# SUMMARY OF COMMENTS PREPARED BY TRAVEL FORECASTING PEER REVIEW PANELS

September 1994

## **Prepared by**

SG Associates, Inc.

## **Prepared for**

- U.S. Department of Transportation Federal Transit Administration Federal Highway Administration Office of the Secretary
- U.S. Environmental Protection Agency

### PEER REVIEW PANEL FUNCTIONS

The procedures used by transportation planning agencies to forecast future travel demand and the split of demand among drive alone, ridesharing and public transit are quite complex. Over the past thirty years, a basic process has been developed that involves four major elements.

- 1. How many trips will be made? (Trip generation)
- 2. What destinations will be selected by people living in specific areas? (Trip distribution)
- 3. How will travel be divided between driving alone, ridesharing and public transit? (Mode choice)
- 4. How many vehicles or people will want to use specific roadways or transit services? (Assignment)

Initially, the methods used to address each of these questions were relatively simple. Over time, as more research has been reported on personal travel behavior, new procedures were recommended. Advances in personal computer technology and reduced costs for computers has made it possible to implement many of the methods recommended by the research. As this has happened, the methodologies used to consider each of the questions have become more complex.

When an agency undertakes development of new travel forecasting methods, it must consider many questions related to the details of the methodology. The questions might include:

- o How should the population be stratified for estimating travel demand?
- o What factors are important in determining the number of trips to be made?
- What factors affect an individual's choice of the destination for a trip? If both highway and transit are available, does this affect the choice of destination? If so, how are these travel opportunities represented?
- o When allocating travel to the available modes, what modes must be considered? Should different types of transit service be treated as different modes? Does the methodology need to differentiate between people who walk to transit and those who drive to transit?
- o What factors determine a traveler's choice of mode? How important is each factor?

Each of the questions listed above implies further questions relating to details of the computer programs and the techniques used to represent transportation facilities in the computer models. There are many possible pitfalls. Seemingly simple decisions made at the beginning of work to develop travel forecasting methods can make it difficult or impossible to answer questions that arise when specific investment actions are being considered.

Few individuals have had the opportunity to develop and apply more than one travel demand forecasting procedure. No individual can foresee all the issues that may arise in developing or applying a new model set. One approach to improving travel forecasting procedures has been the use of Peer Review Panels. These Panels, composed of individuals who have "hands-on" experience with both developing and applying travel forecasting models, assist local agency staff in both identifying possible problems and in developing workable solutions.

For a project involving development of new models, a Panel will typically schedule a two or three day meeting that functions much like a seminar. Documentation of existing travel forecasting procedures and of available data sources are distributed to the Panel In advance of the meeting, permitting the Panel to read the items and become familiar with the methods. At the meeting, each aspect of the travel forecasting procedures is discussed in detail. Deficiencies, if any, in existing procedures are noted and suggestions for improving the methods are made. The objective is to assure that travel forecasting methods will be able to answer important questions and that the methods are consistent with the general "state-of-the-art." At the end of the Panel meeting, documentation is prepared of specific recommended and desirable actions.

For a project involving the application of travel forecasting models to analysis of a proposed transportation investment, the role of the Panel is slightly different. In these situations, the Panel will provide comments on the application of the existing models to the issues under study, suggest areas in which additional analyses are required, provide review of basic assumptions (e.g. demographic forecasts, parking costs) and design of alternatives to be tested, and comment on the interim and final results.

In the past few years, Panels have been formed in at least a dozen metropolitan areas. Some Panels have been established as part of FTA's review of Alternatives Analysis studies; others have been assembled by the local transit agency or Metropolitan Planning Organization. As there are many similarities in the travel forecasting procedures used by planning agencies, it is likely that comments made by these Panels would have application in other areas and might provide guidance to the travel forecasting profession on topics where there appears to be concerns on the need for improvements. A synthesis of the comments from the recently convened Panels might assist in this process.

The following materials are a terse summary listing of relevant comments from a number of recent Panels. The factors leading to the cited recommendations reflect both the issues under study in specific projects and the existing model structure used by each of the agencies. Full understanding of specific comments would require knowledge of the detailed procedures in use by the agencies. The summary, however, does provide a useful overview of the topics in travel forecasting meriting attention.

Materials from a number of Peer Review Panels assembled to comment on travel forecasting methods have been obtained and reviewed. Data for panels convened in eight metropolitan areas involving sixteen separate meetings have been obtained. Thirteen of the meetings addressed methods being proposed or used for analysis as part of a specific transit investment study. Three of the meetings had a more general scope related to overall improvements to the demand forecasting procedures being used in or developed for a metropolitan area.

# PEER GROUP COMMENTS INCLUDED IN SUMMARY ANALYSIS

City	Meeting Number	Date	Project
Atlanta	1	April 1994	Model Development
Cincinnati	1	July 1994	Model Review Prior to Corridor Study
Cleveland	1	January 1994	Dual-Hub Corridor
Hartford	?	November 1993	Griffin Line
Honolulu	1 2 3 Models	April 1991 November 1991 February 1992 April 1993	Ewa-University of Hawaii Ewa-University of Hawaii Ewa-University of Hawaii Model development
Los Angeles	1 2 3	February 1992 September 1992 February 1993	East Side East Side East Side
Sacramento	1 2 3	October 1992 February 1993 July 1993	South Corridor South Corridor South Corridor
San Diego	1 2	September 1993 January 1994	Mission Valley East Mission Valley East

### **PANEL COMMENTS**

Panel comments are grouped under nine broad topics:

- o Observed Data
- o Demographic and Economic Forecasts
- o System Design
- o General Forecasting Model Issues
- o Trip Generation
- o Trip Distribution
- o Mode Share
- o Assignment
- o Details

There is some overlap and duplication among these topic areas. The comments of panels assembled in specific areas reflect the nature of the project being considered, the status and sophistication of the existing model set and the membership of the panel.

In broad terms, the recommendations that appear to be made most frequently relate to:

- 1. Obtaining current data on travel behavior, system use or system performance.
- 2. Validating models against observed data.
- 3. Assuring consistency of travel times through all steps of modeling and evaluation.
- 4. Developing new models, especially mode choice models, that adequately treat mode-of-access. A need for a two phase development effort is seen, with near-term efforts focusing on the four-step process and long-term efforts based on processes yet to be defined.
- 5. Fully documenting procedures and assumptions.

### **OBSERVED DATA**

Develop a regional travel database

Honolulu 1

New travel data are needed. The current base-data are too old.

Cincinnati

Home-interview On-board transit survey Highway travel speed and travel time

Conduct household survey (3,000-7,000) (activity based) Atlanta

Conduct panel survey (1,500-2,000)

Atlanta

Obtain actual highway speed data

for current year

Atlanta

CBD Parking Costs should be analyzed

Honolulu 1, Los Angeles 1 San Diego 1, Honolulu 2

-- Under/Overstated

-- Better data needed

Obtain better data on transit fares and parking costs

Atlanta

Conduct surveys at trip destinations

Atlanta

Develop a consistent traffic count database

Atlanta

Obtain data on pedestrian and bicycle facilities

Atlanta

Conduct survey of taxis

Atlanta

### **DEMOGRAPHIC AND ECONOMIC FORECASTS**

Sensitivity tests of model elements/inputs

should be conducted

Honolulu 3

Conduct Sensitivity Testing of CBD Growth Forecasts

Honolulu 1, Sacramento 1

Check consistency of population and employment forecast

Cleveland, Hartford, Sacramento 1

Analyze apparent lack of consistency between employed resident forecasts and auto ownership forecasts in corridor

Los Angeles 3

Demonstrate financial ability to construct and operate no-build

Los Angeles 1

Document availability of funding for feeder bus services

Honolulu 1

Analyze effect of aging population on system average fares

Honolulu 1

Document, with tabulations and maps.

base year, future year and growth in population

and parking costs by zone.

Sacramento 1

Reflect transit availability in auto ownership, trip generation, trip distribution, etc.

Atlanta

Review auto ownership forecasts

Hartford

### SYSTEM DESIGN

### The TSM Alternative requires:

-- Better definition

-- Community involvement in defining services

Los Angeles 1

Prepare full documentation of alternatives,

including rail operating plans

San Diego 1, San Diego 2

Do "winners and losers" analyses

to refine networks

Los Angeles 3, San Diego 1,

Cleveland 1

Compare bus operating speeds developed

from highway network to scheduled times

San Diego 1

Document the equilibration of transit service

supply and demand procedure

Los Angeles 1

Check to assure that all alternatives, including TSM, offer comparable service and have

comparable service areas

Sacramento 3, Los Angeles 1

Document current and future peak-to-base

service ratios

Sacramento 3

Document and justify annualization factors

Sacramento 3

### GENERAL FORECASTING MODEL ISSUES

A two level approach to model development is needed.

Honolulu Models, Cincinnati

- -- Short-term
- -- Long-term

Prepare to spend 2-3 years to develop new models

Layout basic model design before data collection

Honolulu Models, Cincinnati

Make models state-of-the-practice not state-of-the-art

Cincinnati

Must regularly update models

Honolulu Models

Focus on activities not trips

Cincinnati, Atlanta

Develop methods to analyze Land Use-Transportation linkage

Atlanta

Analyze impact of land use assumptions

Hartford

on forecast transit ridership

Need Airport models: distribution, mode share and special generator

Cincinnati, Hartford, Atlanta, Honolulu Models

Supply representation and travel forecasts

should treat peak and off-peak periods

Honolulu Models, Hartford

separately

Need capability in models to address management type actions, including

TDM and pricing

Atlanta, Cincinnati

Develop and document methods for modeling the effects of programs established to meet emission reduction goals that require employers to develop programs to promote reduced use of single-occupant autos for commuting

San Diego 1

There is a need for "Special Generator" analyses

Cincinnati, Hartford

Complete analysis and documentation of model set prior to start of corridor

investment studies

San Diego 1, Cincinnati

Feedback congested speeds to distribution, mode choice

Cincinnati, Atlanta, Hartford

### **GENERAL FORECASTING MODEL ISSUES** (Continued)

Highway congestion effects should be reflected in transit patronage forecast

Honolulu 1, Hartford

Check the forecasts of future bus operating speeds

Honolulu 1

Check bus speeds, as developed

Hartford

Develop regional model with flexibility to permit analyses at or below corridor level

Atlanta

Extend study area boundary

Atlanta

Support linking GIS/Transportation Analysis

San Diego 1

Use focus groups or stated preference surveys to identify trade-offs

Atlanta, Cincinnati

Validate base year model simulations

Sacramento 1

-- against on-board survey and

household survey

-- against screenline crossings

Compare trip length distribution of person trips and transit trips, as simulated, against on-board and home interview surveys

Sacramento 1

Include an incremental build-up analysis in Results Report. This would include a step-by-step analysis of the impacts of demographic/economic change, and system changes so the effects of each on the resulting forecasts can be identified.

Los Angeles 3, San Diego 1 Sacramento 2

Concern about use of FRATAR to expand transit trip table for incremental analysis

Honolulu 1

Project schedule too short

Los Angeles 1, San Diego 2

Do not "hand adjust" forecasts upon completion of model application

Hartford

Commercial trip data and analysis are needed.

Honolulu Models

### **TRIP GENERATION**

### Trip generation

-- include walk trips

-- should include a measure of level of service available

-- stratify by income (or similar measure)

-- The dwelling unit is the decision unit

Include household size in work trip generation model

Life-cycle analysis of households is needed

Non-Home Based

-- Divide into work-based and others

 Generate based on household data then allocation to Origin and Destination Zones

Review reasonableness of future year trip generation results

Develop cross-classification trip generation model

The assumption of auto ownership rates and income constant over time at the zone level may be incorrect for zones that will have substantial change (e.g. from rural to suburban).

Honolulu Models Honolulu Models

Honolulu Models Honolulu Models

Hartford

Honolulu Models

Cincinnati

San Diego 2

Atlanta

Sacramento 1, Cincinnati

### TRIP DISTRIBUTION

Check work trip distribution against Census

Los Angeles 3, San Diego 1 Los Angeles 1, Cleveland 1, Sacramento 2

Need validation of geographic trip

patterns

San Diego 1, Sacramento 2

Check model estimates of CBD travel

Cleveland 1

-- Number

-- Orientation

-- CBD Cordon

Use composite impedance at least for work trips

Honolulu Models

Use congested speeds for work trip

distribution

Hartford

Do "time-of-day" analysis

Hartford

Use a single set of friction factors by purpose,

not peak and off-peak

San Diego 2

Examine need for K-factors

Sacramento 1

### **MODE SHARE**

Develop/borrow non-work mode choice model San Diego 1, Sacramento 2 Develop procedure for transit mode of Honolulu 1, Cincinnati, access modeling (including Kiss-and-Ride) Sacramento 1 Develop better Park-Ride access coding Use nested logit for work mode choice Honolulu Models Transit Mode of Access -- Consider weight on auto connector time Los Angeles 1 -- There may be a need to represent access to several park-ride opportunities (different services) Broadly define park-and-ride catchment area Hartford Broadly define walk access area Hartford Consider walk networks around stations Sacramento 1 Revise zone structure for corridor Cincinnati, Cleveland 1, investment study to assure small zones Los Angeles 1, Sacramento 1 near stations and correct mode of access representation Use mode choice model segmented by income group Atlanta Use congested highway speeds Hartford Do/portray sample mode choice computation Cleveland 1, Sacramento 1 Tie transit network coding to Cincinnati, Atlanta highway network Use same maximum walk distances for Sacramento 1 bus and rail Estimate college/university mode Los Angeles 1, San Diego 1, choice using work trip model Cleveland, Sacramento 1 Document parking costs Hartford Is factoring method (as used in Washington Hartford

Hartford, Cleveland

and Atlanta) adequate for non-work mode choice (as opposed to separate model)?

Need analysis to determine if "CBD Flag"

variable and parking cost variable

duplicate each other

### **MODE SHARE** (Continued)

Need a methodology to eliminate "long drive access/short transit" trips with non-CBD origin and destination

Hartford

Need to carefully check transit assignments for short (one station) trips

Los Angeles 1

Conduct sensitivity analysis of timed-transfer operations

Sacramento 3

Analyze drive-access demand relative to Park-Ride lot capacity

Sacramento 3

Prepare District-to-District trip tables for alternatives to analyze differences

San Diego 1

Identify "new" trips using "build project"

San Diego 1, Los Angeles 3

Sacramento 1

### **ASSIGNMENT**

Highway Assignment

-- Use multipath

-- Use generalized costs

-- Do by time of day

-- Use more iterations in equilibrium assignment

Honolulu Models

Honolulu Models Honolulu Models Honolulu Models

San Diego 1

Use equilibrium highway assignment

Use generalized cost for highway path building

Cincinnati

Cincinnati

Compare uncongested and congested

highway speeds (travel times)

Hartford, Cincinnati

A time-of-day analysis by trip purpose is required for transit

assignment.

Hartford

Assign on-board survey and check against load counts and transfer rates

Sacramento 1, Cleveland 1

### **DETAILS**

Analyze adequacy of bus loading facilities at terminal station

Honolulu 1